




NITCO

CERAMIC  
FASHION

CERAMIC | DURADIGI | DURACOTTURA

A woman with long dark hair, wearing a grey, off-the-shoulder, long-sleeved dress with a ruffled waist, is floating in a dark, textured environment. She is lying on her back, looking upwards with her arms raised. The background consists of numerous dark, layered, and textured surfaces that resemble a forest floor or a large-scale architectural structure made of dark wood or stone. The lighting is dramatic, highlighting the woman's form against the dark, textured background.

Innovative designs, unique textures, multiple sizes, unmatched quality, all centered around one thing – to adorn your world with natural beauty. Toughness included. Discover the exquisite range of Ceramic Floor Tiles from NITCO. Go on, floor the world.

## THE WORLD OF NITCO

It all started with a belief, and a purpose - a belief that there's no such feat which cannot be achieved, and a purpose to deliver the world's best products and services. 6 decades later, we're one of the largest, and the only premium tile brand in India. And we're only getting started.

NITCO is the only company in the country to boast a state-of-the-art, fully-integrated, automated plant, with benchmark processing systems and the most advanced technology. We are also the only company with an automated sorting process. This ensures quality consistency with the least variations. Our plant houses the country's most advanced Lab, with skilled technicians, professionals and experts from across the globe, ensuring quality and standards par excellence.

But most importantly, our processes, systems and technology also offer one more extended feature – peace of mind. In an industry where minor defects and imperfections are a norm, we strive to offer quite the opposite. With NITCO you are assured minimum risk, and the best quality, at all times. A definitive proof of that comes in the goodwill we've created amidst the Architect and Dealer fraternity across India.

## DESIGN ETHOS

The natural world offers a myriad of design possibilities. Each acts as a door, opening up a world of inspiration for us. From the most striking, to subtlest, our designs are a tribute to nature’s artistic prowess. Which is why, we find ourselves on a never-ending quest to replicate the best of Nature in our tiles. We source natural products from around the world, dedicating our designs, technology, and manufacturing processes towards providing a closer-to-nature-look. It’s more than a way of life for us. It’s the ethos we live by, creating designs that make a fashion statement, designs that are natural, and designs that blend-in and reflect a mood.

All this is a product of curiosity. It’s the questions we ask ourselves, and the constant feeling of ‘enough is never enough’ that pushes us to challenge our best, and deliver even better. And it is all brought to life through cutting-edge technology, superior processing systems, and a designer mindset that takes shape in the form of our product offerings – Tiles, Marble and Mosaics.

## DURADIGI

<b>Iroko Series 600x600 mm</b> Iroko Pine Luce, Iroko Pine Buio, Iroko Maple	09-11
<b>Xylos Series 600x600 mm</b> Xylos Brew, Xylos Monarch, Xylos Stella, Xylos Oliva Acero, Xylos Decor, Xylos Damas, Xylos Geo, Xylos Marmol	12-19
<b>Mastri Series 600x600 mm</b> Mastri Gris, Mastri Marfil	20-21
<b>Terra Series 600x600 mm</b> Terra Grigio, Terra Bigio	22-23
<b>Laguna Series 600x600 mm</b> Laguna Grisaceo, Laguna Bigio, Laguna Gris	24-26

## DURACOTTURA

<b>Super Rustic - Cotto Series 600x600 mm</b> Cotto Rouge, Cotto Rouge Decor, Cotto Creme, Cotto Creme Decor, Cotto Bronze	28-30
<b>Super Rustic - Rio Series 600x600 mm</b> Rio Bianco Beige, Rio Cuero, Rio Crema Dune	31
<b>Ethnica Series 600x600 mm</b> Ethnica Oliva, Ethnica Marfim	32
<b>Granite Series 600x600 mm</b> Granite Crema	33
<b>Rustico Series 600x600 mm</b> Breton Stone Avana, Breton Stone Captiva, Breton Stone Mocassin	34
<b>Estonia Series 600x600 mm</b> Estonia Gris, Estonia Earth, Estonia Arena	35

## CERAMIC

<b>Timberland Plank Series 148x600 mm</b> Classic Antico, Classic Sherwood	37
<b>Woodland Series 148x600 mm</b> Woodland Maple, Woodland Walnut, Woodland Mocha, Woodland Bronze,	38-41
<b>Prime Rustic - Argilla Series 300x300 mm</b> Argilla Latte, Argilla Chestnut, Argilla Silver, Argilla Gris Argilla Fusion Decor	42-45
<b>Super Rustic - Rio Series 300x300 mm</b> Rio Bianco Beige, Rio Bianco Calypso, Rio Bianco Fresco, Rio Crema Dune, Rio Crema Calypso, Rio Crema Fresco, Rio Cuero	46-47
<b>Rustic Series 300x300 mm</b> African Slate	48
<b>Terracotta Series 300x300 mm</b> Holiday Terracotta	49
<b>Jaipur Series 300x300 mm</b> Jaipur Coral, Jaipur Jasper, Jaipur Pukharaj, Jaipur Panna, Jaipur Moti	50
<b>Exotica Series 300x300 mm</b> Maharaja Beige, Maharaja Off White	51
<b>Spa Series 300x300 mm</b> Oscar Blue, Ranger Blue, Black Berry, Blanco White	52
<b>Country Series 300x300 mm</b> Country Almond, Country Caffè, Country Vanilla,	53
<b>Metallica Series 300x300 mm</b> Copper Stone, Silver Streak	54
<b>Cotto Series 300x300 mm</b> Cotto Sunflow, Cotto Terracotta, Cotto Ocean Blue, Cotto Ocean Green	55

# DURADIGI



**MADE TO  
ORDER**



IROKO PINE LUCE



**MADE TO ORDER**

IROKO PINE BUIO



**MADE TO ORDER**

IROKO MAPLE



MADE TO ORDER

XYLOS BREW



MADE TO ORDER

XYLOS MONARCH



**MADE TO ORDER**

XYLOS STELLA



**MADE TO ORDER**

XYLOS OLIVA ACERO





MADE TO ORDER

XYLOS DECORI



XYLOS DAMAS



XYLOS GEO

MADE TO ORDER



XYLOS MARMOL



MASTRI GRIS

MADE TO ORDER



MASTRI MARFIL



TERRA GRIGIO

**MADE TO  
ORDER**



TERRA BIGIO



**MADE TO  
ORDER**

LAGUNA GRISACEO



LAGUNA BIGIO

600 X 600 mm | LAGUNA SERIES  
SATIN MATT FINISH



**MADE TO  
ORDER**

LAGUNA GRIS

## DURACOTTURA





COTTO ROUGE



COTTO ROUGE DECOR



COTTO ROUGE DECOR  
Random Faces



COTTO CREME DECOR  
Random Faces




COTTO CREME DECOR



COTTO CREME




COTTO BRONZE




Random Faces



RIO BIANCO BEIGE



RIO CUERO



RIO CREMA DUNE





ETHNICA MARFIM



ETHNICA OLIVA




GRANITE CREMA





BRETON STONE AVANA



BRETON STONE CAPTIVA



BRETON STONE MOCCASIN



ESTONIA GRIS



ESTONIA EARTH



ESTONIA ARENA

# CERAMIC



CLASSIC ANTICO



CLASSIC SHERWOOD



WOODLAND MAPLE



Random Faces



WOODLAND WALNUT


Random Faces



WOODLAND MOCHA

MADE TO ORDER

Random Faces




WOODLAND BRONZE

Random Faces



ARGILLA LATTE

Random Faces



ARGILLA CHESTNUT

Random Faces



ARGILLA FUSION DECOR

Random Faces



ARGILLA FUSION DECOR

Random Faces

MADE TO ORDER

MADE TO ORDER

MADE TO ORDER



ARGILLA SILVER

MADE TO ORDER

Random Faces



ARGILLA GRIS

Random Faces



ARGILLA FUSION DECOR

MADE TO ORDER

Random Faces



ARGILLA FUSION DECOR

MADE TO ORDER

Random Faces




MADE TO ORDER



RIO BIANCO CALYPSO

MADE TO ORDER



RIO BIANCO BEIGE




RIO BIANCO FRESCO

MADE TO ORDER



RIO CREMA FRESCO


MADE TO ORDER



RIO CREMA DUNE



RIO CREMA CALYPSO



RIO CUERO





Random Faces

AFRICAN SLATE




HOLIDAY TERRACOTTA



JAIPUR CORAL



JAIPUR PUKHARAJ




MAHARAJA OFF WHITE



JAIPUR PANNA




JAIPUR JASPER




JAIPUR MOTI



MAHARAJA BEIGE



RANGER BLUE



OSCAR BLUE



BLANCO WHITE



BLACK BERRY

MADE TO ORDER



COUNTRY ALMOND

MADE TO ORDER



COUNTRY VANILLA


MADE TO ORDER



COUNTRY CAFFE




MADE TO ORDER




SILVER STREAK

MADE TO ORDER




COPPER STONE



COTTO SUNGLOW



COTTO TERRACOTTA



COTTO OCEAN BLUE



COTTO OCEAN GREEN

## Technical Specification Ceramic

Sr. No.	Properties	CEN Code	ISO CODE ISO13006:2012E	Requirement For Floor Tiles	NITCO Specification	
					Rectified	Non Rectified
01	DEVIATION IN LENGTH & WIDTH %	EN 98	ISO:10545-2	± 0.6%(Max ± 2.0 mm)	± 0.20%	± 0.5%
02	DEVIATION IN THICKNESS %	EN 98	ISO:10545-2	± 5.0%(Max ± 0.5mm)	± 5.0%	± 5.0%
03	STRAIGHTNESS OF SIDES %	EN 98	ISO:10545-2	± 0.5%(Max ± 1.5 mm)	± 0.20%	± 0.50%
04	DIAGONAL VARIATION % (Rectangularity)	EN 98	ISO:10545-2	± 0.5 %(Max ± 2.0 mm)	± 0.20%	± 0.50%
05	SURFACE FLATNESS %	EN 98	ISO:10545-2	± 0.5%(Max ± 2.0 mm)	± 0.30%	± 0.30%
06	SURFACE QUALITY	EN 98	ISO:10545-2	Min 95 % free from any visible defects	More than 95 % free from any visible defects	More than 95 % free from any visible defects
07	WATER ABSORPTION % BY WT.	EN 99	ISO:10545-3	3 < E < 6.0	3.0 - 6.0%	4.0 - 6.0%
08	MODULUS OF RUPTURE IN N / mm <sup>2</sup>	EN 100	ISO:10545-4	≥ 22	≥ 30	≥ 30
09	Breaking Strength N	EN 100	ISO:10545-4	> 7.5 mm 1000 N & < 7.5 mm 600 N	> 1000	> 1000
10	THERMAL SHOCK RESISTANCE	EN 104	ISO:10545-9	NO VISIBLE DEFECTS	RESISTANT	RESISTANT
11	CHEMICAL RESISTANCE (EXCEPT HF ACID)	EN 106	ISO:10545-13	NO VISIBLE EFFECT	NO VISIBLE EFFECT	NO VISIBLE EFFECT
12	RESISTANCE TO STAIN		ISO:10545-14	MINIMUM CLASS 3	CLASS 4	CLASS 4
13	MOH SCRATCH HARDNESS	EN 101		MIN 6	≥ 6	≥ 6
14	CRAZING RESISTANCE	EN 105	ISO: 10545-11	NO CRAZING	RESISTANT	RESISTANT
15	ABRASION RESISTANCE	EN 154	ISO: 10545-7	Report abrasion class & cycles passed	AS SPECIFIED	AS SPECIFIED

## Technical Specifications - Duracottura & Duradigi Tiles

Sr. No.	Properties	CEN Code	ISO CODE ISO13006:2012E	Requirement For Floor Tiles	NITCO Specification
01	DEVIATION IN LENGTH %	EN 98	ISO:10545-2	± 0.6% (Max ± 2.0 mm)	± 0.15%
02	DEVIATION IN THICKNESS %	EN 98	ISO:10545-2	± 5.0% (Max ± 0.5mm)	± 5.0%
03	STRAIGHTNESS OF EDGE %	EN 98	ISO:10545-2	± 0.5% (Max ± 1.5 mm)	± 0.15%
04	DIAGONAL VARIATION % (Rectangularity)	EN 98	ISO:10545-2	± 0.5% (Max ± 2.0 mm)	± 0.15%
05	SURFACE FLATNESS %	EN 98	ISO:10545-2	± 0.5% (Max ± 2.0 mm)	± 0.2%
06	SURFACE QUALITY	EN 98	ISO:10545-2	Min 95 % free from any visible defects	More than 95 % free from any visible defects
07	WATER ABSORPTION % BY WT.	EN 99	ISO:10545-3	3 < E < 6.0	3.0 - 6.0
08	MODULUS OF RUPTURE IN N / mm <sup>2</sup>	EN 100	ISO:10545-4	≥ 22	≥ 30
09	Breaking Strength N	EN 100	ISO:10545-4	> 1000 N	> 1100
10	THERMAL SHOCK RESISTANCE	EN 104	ISO:10545-9	NO VISIBLE DEFECTS	RESISTANT
11	CHEMICAL RESISTANCE (EXCEPT HF ACID)	EN 106	ISO:10545-13	NO VISIBLE EFFECT	NO VISIBLE EFFECT
12	RESISTANCE TO STAIN		ISO:10545-14	MINIMUM CLASS 3	CLASS 4
13	MOH SCRATCH HARDNESS	EN 101		MIN 6	≥ 6
14	CRAZING RESISTANCE	EN 105	ISO: 10545-11	NO CRAZING	RESISTANT
15	ABRASION RESISTANCE	EN 154	ISO: 10545-7	Report abrasion class & cycles passed	AS SPECIFIED

NOTE : Certain amount of technical properties variation in batch to batch is inherent properties of Glazed Tiles. Please refer to Materials Test Certificate for actual technical properties

## Packing Details of Ceramic, Duracottura & Duradigi Tiles

Sr. No.	Dimensions	Tiles / Box	Coverage Area		Avg. Weight Per Box
			Sq. Mts.	Sq. Feet	Kgs.
1	300 mm x 300 mm (12" x 12")	12	1.08	11.63	17.5
2	600 mm x 148 mm (24" x 6")	10	0.89	9.56	17.0
3	600 mm x 600 mm (24" x 24")	4	1.44	15.50	29.0

### Abrasion Resistance Group

Group IV & IV+

Duradigi, Duracottura & Ceramic tiles are meant for medium and heavy abrasion areas like the living room, bedroom, verandah, terrace, balcony, offices, shops, boutiques, bars, restaurants, lobbies, health clubs, swimming pool decks, malls, multiplex, airports and all other residential and commercial premises.

### Roto Color Technology

Roto color technology is an advanced printing technology, which is currently mainly used by European manufacturers of premium tiles. As the tile moves along the manufacturing line, large rollers paint and press different designs onto each tile. The gradual sideways pressing movement of the roller ensures that each and every tile has its own unique pattern and natural look. NITCO was the first Indian ceramic tile manufacturer to use this technology.

### Eclat Finish

Eclat is a special type of finish which gives a lustrous effect where the design is depicted on the matte surface. Its application elevates the aesthetics of the design.

• Anti Skid

• Stain Resistant

• Scratch Resistant

The reproduction of tiles in this catalogue is restricted to four colour printing only and tiles are not relative in sizes. Conforming to ISO requirements, technical specifications of NITCO tiles are applicable only for first grade / first quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid / fixed. Price category & PEI grade may change without any notice. Customers are advised to confirm it before placing order.



**Corporate Office:**  
NITCO LTD.,  
NITCO House,  
Sheth Govindram Jolly Marg,  
Kanjur Marg (E),  
Mumbai - 400042.

**Email:** [marketing@nitco.in](mailto:marketing@nitco.in)  
**Web:** [www.nitco.in](http://www.nitco.in)

**Phone:** +91-22-6752 1555  
**Fax:** 91-22-67521500



*To locate the nearest Exclusive Le studio in your city  
please call toll free no. : 1800 266 4826*

 [www.facebook.com/NitcoOfficial](http://www.facebook.com/NitcoOfficial)  [www.twitter.com/nitcoltd](http://www.twitter.com/nitcoltd)  [www.youtube.com/nitcolimited](http://www.youtube.com/nitcolimited)